ELSEVIER

Chemistry and Physics of Lipids
72 (1994) 193

Chemistry and Physics
of
LIPIDS

Author index

Volume 72 (1994)

Agmon, V. **72**, 143
Ambrosini, A. **72**, 127

Behmann, T. **72**, 35
Bertoli, E. **72**, 127
Busson, R.H. **72**, 103

Cestone, P. **72**, 143
Choi, H. **72**, 59
Coulomb, C. **72**, 153
Cunningham, B.A. **72**, 1

Dagan, A. **72**, 143
Declercq, P.E. **72**, 103
Demasi, L. **72**, 143
Diehl, H.A. **72**, 35
Drewes, A. **72**, 175
Dudley, R.L. **72**, 185

Engelke, M. **72**, 35
Eyssen, H.J. **72**, 103

Gatt, S. **72**, 143
Gerst, N. **72**, 59
Goodson, P.A. **72**, 19
Graille, J. **72**, 135
Guedj, C. **72**, 153
Gunstone, F.D. **72**, 119

Hato, M. **72**, 111

Jaeger, D.A. **72**, 19

Kinnunen, P.K.J. **72**, 77
Kõiv, A. **72**, 77
Küçük, Ö **72**, 1
Kwaan, H.C. **72**, 1

Lauer, F. **72**, 175
Lis, L.J. **72**, 1

Mannaerts, G.P. **72**, 103
Marchesini, S. **72**, 143
Minamikawa, H. **72**, 111
Minnikin, D.E. **72**, 87
Montet, D. **72**, 135
Murakami, T. **72**, 111

Navon, R. **72**, 143

Ojeda, F. **72**, 35

Parmentier, G.G. **72**, 103
Pavia, A.A. **72**, 153
Pina, M. **72**, 135
Pinkerton, F.D. **72**, 59
Preti, A. **72**, 143
Pucci, B. **72**, 153

Renard, G. **72**, 135
Riess, J.G. **72**, 153
Rürup, J. **72**, 175

Sanders, II, C.R. **72**, 41
Sato, K. **72**, 27
Sayed, Y.M. **72**, 19
Schmid, R.D. **72**, 175
Schroepfer, Jr., G.J. **72**, 59
Seth, S. **72**, 119
Siddiqui, A.U. **72**, 59
Sonnet, P.E. **72**, 185
Suetake, T. **72**, 27
Suzuki, M. **72**, 27
Swaminathan, S. **72**, 59

Tanfani, F. **72**, 127
Tracy, D. **72**, 1

Ueno, S. **72**, 27

Van Houte, H.A. **72**, 103
Villeneuve, P. **72**, 135
van Veldhoven, P.P. **72**, 103

Wallace, P.A. **72**, 87
Westerman, M.P. **72**, 1
Wilson, W.K. **72**, 59
Wozniak, M. **72**, 127
Wray, V. **72**, 175

Yano, J. **72**, 27

Zarif, L. **72**, 153
Zolese, G. **72**, 127

0009-3084/94/$07.00 © 1994 Elsevier Science Ireland Ltd. All rights reserved

ELSEVIER

Chemistry and Physics of Lipids
72 (1994) 195–197

Chemistry and Physics
of
LIPIDS

Subject index

Volume 72 (1994)

Acyl migration; α-Methoxytrifluoromethylphenylacetic acid (*bis*-MTPA esters); *Rhizopus oryzae*; (*R*)- and (*S*)-glycidol **72**, 185

Aminoacids; Synthetic glycolipids; Surfactants; Vesicles; Fibers; Electron microscopy **72**, 153

α-Branched fatty acid; Phospholipid; Langmuir film; NMR **72**, 175

^{13}C-NMR spectra; DHA; Docosahexaenoic acid; EPA; Eicosapentaenoic acid; Fish oils; Distribution between α and β chains **72**, 119

Chiral synthesis; Mixed triglycerides; Quaternary ammonium halide type catalyst; Glyceride distribution **72**, 135

Conformation; Crystal structure; Hydrogen bonding; Surfactant **72**, 19

Conformational analysis; 15-oxygenated sterols; Fluorination; NMR; Mass spectrometry **72**, 59

Crystal structure; Conformation; Hydrogen bonding; Surfactant **72**, 19

Cubic phase; Laurdan; Fluorescence; H_{II} phase; *N*-acyl ethanolamine; Phosphatidylethanolamine **72**, 127

DHA; ^{13}C-NMR spectra; Docosahexaenoic acid; EPA; Eicosapentaenoic acid; Fish oils; Distribution between α and β chains **72**, 119

2,3-Di-*O*-acyl-α,α-trehalose; (2R; 4R,S)- and (2S; 4R,S)-Dimethyldocosanoic acid; Mycosanoic acid; *Mycobacterium tuberculosis*; (R)-(−)-Naphthylethylamides **72**, 87

Diacylglycerol; NMR; Sample orientation; Lipid structure; Phosphatidylcholine bilayer; Hydrogen bonding **72**, 41

Distribution between α and β chains; ^{13}C-NMR spectra; DHA; Docosahexaenoic acid; EPA; Eicosapentaenoic acid; Fish oils **72**, 119

DNA; Sphingolipid; Fluorescence; DSC **72**, 77

Docosahexaenoic acid; ^{13}C-NMR spectra; DHA; EPA; Eicosapentaenoic acid; Fish oils; Distribution between α and β chains **72**, 119

Dolichoic acid; Polyprenol; Dolichol **72**, 103

Dolichol; Polyprenol; Dolichoic acid **72**, 103

DSC; Sphingolipid; DNA; Fluorescence **72**, 77

Eicosapentaenoic acid; ^{13}C-NMR spectra; DHA; Docosahexaenoic acid; EPA; Fish oils; Distribution between α and β chains **72**, 119

Elaidic acid; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature **72**, 27

Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature **72**, 27

Electron microscopy; Synthetic glycolipids; Aminoacids; Surfactants; Vesicles; Fibers **72**, 153

Energy transfer; Membrane fluidity; Microsomes; Pyrene excimer formation **72**, 35

EPA; ^{13}C-NMR spectra; DHA; Docosahexaenoic acid; Eicosapentaenoic acid; Fish oils; Distribution between α and β chains **72**, 119

Eutectic nature; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature **72**, 27

0009-3084/94/$07.00 © 1994 Elsevier Science Ireland Ltd. All rights reserved

Eutectic nature; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism **72**, 27

Fibers; Synthetic glycolipids; Aminoacids; Surfactants; Vesicles; Electron microscopy **72**, 153

Fibrinogen; X-ray diffraction; Lipid model membrane; Phase transitions **72**, 1

Fish oils; ^{13}C-NMR spectra; DHA; Docosahexaenoic acid; EPA; Eicosapentaenoic acid; Distribution between α and β chains **72**, 119

Fluorescence; Laurdan; H_{II} phase; Cubic phase; *N*-acyl ethanolamine; Phosphatidylethanolamine **72**, 127

Fluorescence; Sphingolipid; DNA; DSC **72**, 77

Fluorescent gangliosides; GM_1-ganglioside; Sulforhodamine 101; Gangliosides transfer **72**, 143

Fluorination; 15-oxygenated sterols; NMR; Mass spectrometry; Conformational analysis **72**, 59

Gangliosides transfer; GM_1-ganglioside; Fluorescent gangliosides; Sulforhodamine 101 **72**, 143

Glyceride distribution; Chiral synthesis; Mixed triglycerides; Quaternary ammonium halide type catalyst **72**, 135

Glyceroglycolipids; Oligosaccharide headgroups; Synthesis **72**, 111

GM_1-ganglioside; Fluorescent gangliosides; Sulforhodamine 101; Gangliosides transfer **72**, 143

H_{II} phase; Laurdan; Fluorescence; Cubic phase; *N*-acyl ethanolamine; Phosphatidylethanolamine **72**, 127

Hydrogen bonding; Conformation; Crystal structure; Surfactant **72**, 19

Hydrogen bonding; Diacylglycerol; NMR; Sample orientation; Lipid structure; Phosphatidylcholine bilayer **72**, 41

Langmuir film; Phospholipid; α-branched fatty acid; NMR **72**, 175

Laurdan; Fluorescence; H_{II} phase; Cubic phase; *N*-acyl ethanolamine; Phosphatidylethanolamine **72**, 127

Lipid model membrane; Fibrinogen; X-ray diffraction; Phase transitions **72**, 1

Lipid structure; Diacylglycerol; NMR; Sample orientation; Phosphatidylcholine bilayer; Hydrogen bonding **72**, 41

Mass spectrometry; 15-oxygenated sterols; Fluorination; NMR; Conformational analysis **72**, 59

Membrane fluidity; Microsomes; Pyrene excimer formation; Energy transfer **72**, 35

α-Methoxytrifluoromethylphenylacetic acid (*bis*-MTPA esters); Acyl migration; *Rhizopus oryzae*; (*R*)- and (*S*)-glycidol **72**, 185

Microsomes; Membrane fluidity; Pyrene excimer formation; Energy transfer **72**, 35

Mixed triglycerides; Chiral synthesis; Quaternary ammonium halide type catalyst; Glyceride distribution **72**, 135

Mycobacterium tuberculosis; (2R; 4R,S)- and (2S; 4R,S)-Dimethyldocosanoic acid; Mycosanoic acid; 2,3-Di-*O*-acyl-α,α-trehalose; (R)-(−)-Naphthylethylamides **72**, 87

Mycosanoic acid; (2R; 4R,S)- and (2S; 4R,S)-Dimethyldocosanoic acid; *Mycobacterium tuberculosis*; 2,3-Di-*O*-acyl-α,α-trehalose; (R)-(−)-Naphthylethylamides **72**, 87

***N*-acyl ethanolamine**; Laurdan; Fluorescence; H_{II} phase; Cubic phase; Phosphatidylethanolamine **72**, 127

NMR; 15-oxygenated sterols; Fluorination; Mass spectrometry; Conformational analysis **72**, 59

NMR; Diacylglycerol; Sample orientation; Lipid structure; Phosphatidylcholine bilayer; Hydrogen bonding **72**, 41

NMR; Phospholipid; α-branched fatty acid; Langmuir film **72**, 175

Oleic acid; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature; Elaidic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature **72**, 27

Oleic acid; Elaidic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature **72**, 27

Oligosaccharide headgroups; Glyceroglycolipids; Synthesis **72**, 111

15-Oxygenated sterols; Fluorination; NMR; Mass spectrometry; Conformational analysis **72**, 59

Phase transitions; Fibrinogen; X-ray diffraction; Lipid model membrane **72**, 1

Phosphatidylcholine bilayer; Diacylglycerol; NMR; Sample orientation; Lipid structure; Hydrogen bonding **72**, 41

Phosphatidylethanolamine; Laurdan; Fluorescence; H_{II} phase; Cubic phase; *N*-acyl ethanolamine **72**, 127

Phospholipid; α-branched fatty acid; Langmuir film; NMR **72**, 175

Polymorphism; Elaidic acid; Oleic acid; Unsaturated fatty acid; Eutectic nature; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature **72**, 27

Polymorphism; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature; Elaidic acid; Oleic acid; Unsaturated fatty acid; Eutectic nature **72**, 27

Polyprenol; Dolichol; Dolichoic acid **72**, 103

Pyrene excimer formation; Membrane fluidity; Microsomes; Energy transfer **72**, 35

Quaternary ammonium halide type catalyst; Chiral synthesis; Mixed triglycerides; Glyceride distribution **72**, 135

(R)-(−)-Naphthylethylamides; (2R; 4R,S)- and (2S; 4R,S)-Dimethyldocosanoic acid; Mycosanoic acid; *Mycobacterium tuberculosis*; 2,3-Di-*O*-acyl-α,α-trehalose **72**, 87

(2R; 4R,S)- and (2S; 4R,S)-Dimethyldocosanoic acid; Mycosanoic acid; *Mycobacterium tuberculosis*; 2,3-Di-*O*-acyl-α,α-trehalose; (R)-(−)-Naphthylethylamides **72**, 87

(*R*)- and (*S*)-glycidol; Acyl migration; α-Methoxytrifluoromethylphenylacetic acid (*bis*-MTPA esters); *Rhizopus oryzae* **72**, 185

Rhizopus oryzae; Acyl migration; α-Methoxytrifluoromethylphenylacetic acid (*bis*-MTPA esters); (*R*)- and (*S*)-glycidol **72**, 185

Sample orientation; Diacylglycerol; NMR; Lipid structure; Phosphatidylcholine bilayer; Hydrogen bonding **72**, 41

Sphingolipid; DNA; Fluorescence; DSC **72**, 77

Sulforhodamine 101; GM_1-ganglioside; Fluorescent gangliosides; Gangliosides transfer **72**, 143

Surfactant; Conformation; Crystal structure; Hydrogen bonding **72**, 19

Surfactants; Synthetic glycolipids; Aminoacids; Vesicles; Fibers; Electron microscopy **72**, 153

Synthesis; Glyceroglycolipids; Oligosaccharide headgroups **72**, 111

Synthetic glycolipids; Aminoacids; Surfactants; Vesicles; Fibers; Electron microscopy **72**, 153

Unsaturated fatty acid; Elaidic acid; Oleic acid; Polymorphism; Eutectic nature; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature **72**, 27

Unsaturated fatty acid; Elaidic acid; Oleic acid; Unsaturated fatty acid; Polymorphism; Eutectic nature; Elaidic acid; Oleic acid; Polymorphism; Eutectic nature **72**, 27

Vesicles; Synthetic glycolipids; Aminoacids; Surfactants; Fibers; Electron microscopy **72**, 153

X-ray diffraction; Fibrinogen; Lipid model membrane; Phase transitions **72**, 1